


### 23525 Series

#### By-pass Relief Valve

23525-1050B suitable for VR050 models

23525-0050B suitable for 23540 models



**WARNING** Explosion hazard. Do not use with gasoline, solvents, thinners or other flammable liquids. To do so can cause an explosion resulting in injury or death.

### Application

This accessory is designed to allow the pump to run against a closed discharge as required when a trigger nozzle is used. Heads of 5.5 metres (0.5 bar) can still be attained with this unit

### Installation

- 1 Remove any existing port adaptors from threaded ( $\frac{3}{4}$ " BSP) ports.
- 2 Place sealing washers on each of the pump ports.
- 3 Mount main relief valve body with the arrows in line with those on the pump body (this is correct for normal anti clockwise rotation).
- 4 Insert the extended hose adaptors through the remaining sealing washers, through the main body and screw into the pump ports. Tighten with spanner.
- 5 Your Jabsco refuelling pump can now be used in conjunction with a trigger nozzle. These models are continuously rated up to 3.0 metres (0.25 bar) total head. Running against a closed discharge, e.g. a closed trigger nozzle should be limited to 10 minutes.

### Standard Fitment

The following models are fitted with a by-pass relief valve as standard:-

- VR050-B013 (24 Volt)
- VR050-B014 (12 Volt)

The logo for JABSCO, featuring the word "JABSCO" in a bold, sans-serif font inside a dark grey arrow shape pointing to the right.

# Refuelling By-pass Relief Valve

12/02

## USA

**Jabsco**  
20 Icon  
Foothill Ranch  
CA 92610

Tel : +1 949 859 4945  
Fax : +1 949 859 1153

## UK

**Jabsco**  
Bingley Road  
Hoddesdon  
Hertfordshire, EN11 0BU

Tel : +44 (0) 1992 450 145  
Fax : +44 (0) 1992 467 132

## GERMANY

**Jabsco GmbH**  
Oststraße 28  
22844 Norderstedt

Tel : +49 (0) 40 53 53 73 0  
Fax : +49 (0) 40 53 53 73 11

Warranty: All products of the company are sold and all services of the company are offered subject to the company's warranty and terms and conditions of sale, copies of which will be furnished upon request.  
The information provided herein is for guidance only, it does not constitute a guarantee of the performance or specification of any individual product or component.

©Copyright 2002 ITT Industries

43010-0030